

Urine Tox Results LTF

Record ID

Date of urine tox

Urine tox screen results:

- AMP-amphetamine
- Cocaine
- THC- marijuana
- BZO- benzodiazepine
- TCAs- antidepressants
- Barbiturates
- MDMA- ecstasy
- Opiates
- PCP- phencyclidine
- Oxy-oxycodone
- PPX- propoxyphene
- Negative for all
- Not collected

Additional info (if needed)

PFTs LTF

Record ID

Date of PFTs

Do these PFTs coincide with the follow up visit timeline?

- Yes
 No

Which follow up visit do they coincide with?

- 2 weeks post hospital discharge
 3 months post hospital discharge
 6 months post hospital discharge
 12 months post hospital discharge

FEV1

FEV1, % predicted

FVC

FVC, % predicted

FEV1/FVC ratio (%)

TLC

TLC (% predicted)

DLCO

DLCO (% predicted)

PFT report attachment

Peth Data-LTF

Record ID

PEth Data Inpatient (ng/mL)

PEth Data 3 months

PEth Data 6 months

PEth Data 12 Months

CT Scan-LTF

Record ID

Timepoint?

- 3 months post discharge
- 6 months post discharge
- 12 months post discharge

Was the CT Scan completed?

- Yes
- No

Attach image here

CT chest findings

- Reticulations
- Ground glass opacities
- Bronchiectasis
- Nodular opacities
- Pleural disease
- Blebs
- Pulmonary embolus
- Pulmonary hypertension
- Normal/ no acute or chronic abnormalities

CT Scan Report Attachment

Why was it not completed?

Six Minute Walk Distance

Record ID _____

What studies is this patient enrolled in?

- RF
 PIMA
 FIRE CORAL

(If patient is NOT enrolled in PIMA, only complete this instrument for 3 months and 6 months. If this patient is enrolled in PIMA, also complete for discharge and 2 week.)

Was this completed as a part of standard care?

- Yes
 No

Testing timepoint

- discharge
 2 weeks
 3 months
 6 months
 12 months

Patient was unable to complete assessment due to...

- Patient too weak
 Patient discharged
 Patient withdrew
 Patient refused
 Other

Explain: _____

Reason for no six minute walk

- Tried but unable
 Participant could not walk unassisted
 Not attempted, you felt unsafe
 Not attempted, participant felt unsafe
 Participant unable to understand instructions
 Other
 Participant refused

6MWT instructions:

Individual walks without physical assistance for 6 minutes and the distance is measured.

Start timing when the individual is instructed to "Go".

Stop timing at 6 minutes.

Assistive devices can be used but should be kept consistent.

Do not perform if physical assistance is necessary for walking.

Perform at the fastest speed possible.

Prior to starting:

Ensure the hallway free of obstacles.

Have stopwatch available.

Patient Instructions:

"Cover as much ground as possible over 6 minutes. Walk continuously if possible, but do not be concerned if you need to slow down or stop to rest. The goal is to feel at the end of the test that more ground could not have been covered in the 6 minutes. "

Pulse ox before 6 minute walk

Six minute walk test distance (meters)

Pulse ox after 6 minute walk

Form completed by

Date and time completed

Moca

Record ID

Timepoint?

- before discharge
 3 months post discharge
 6 months post discharge
 12 months

Was this questionnaire completed as a part of standard clinical care?

- Yes
 No

Was MOCA completed?

- Yes
 No

Reason:

- Coordinator unable to administer before discharge
 Participant turned down
 Death

Education level:

(equals 1 if the test-taker has 12 years or less of formal education, otherwise 0)

Orientation Score:

Delayed Recall Score:

Abstraction score:

Language Score:

Attention score:

Animal naming score (N/A for MOCA Blind):

Visuospatial and executive functioning score (N/A for MOCA Blind):

Total score:

Full MOCA or MOCA Blind?

- Full MOCA (total score out of 30)
 MOCA blind (total score out of 22)
 Spanish MOCA (total score out of 22)